


Fig. 1






Fig. 3





Fig. 4



```

Index File 610
    <?xml version="1.0" encoding="UTF-8"?>
    <ACSlIndex>
        <realm>PRODUCTION</realm>
        <agent>
            <agentName>Application_A</agentName>
            <config>
                Configuration 640A
                <name>AustinRegion</name> 642
                <version>1</version> 644
                <filter>&amp;/System/os=*(<Subscriber/location=&lt;Location&gt;&lt;State&gt;Texas
                    &lt;/State&gt;&lt;City&gt;Austin&lt;/City&gt;&lt;Department&gt;*&lt;/Department&gt;)
                    650A
                    &lt;/Location&gt;)</filter>
                <data>Application_A/AustinRegion.xml</data> Data File
                </config> Location 660A
            <config>
                Configuration 640B
                <name>CentralDialUp</name>
                <version>1</version>
                <filter>&amp;/Subscriber/phoneNumber=512*(<Subscriber/location=&lt;Location&gt;*
                    &lt;State&gt;*&lt;City&gt;*&lt;Department&gt;*&lt;/Location&gt;)
                    650B
                    &lt;/filter>
                <data>Application_A/centraldialup.xml</data> Data File
                </config> Location 660B
            </agent>
        </ACSlIndex>
    
```

Fig. 6
Example Index File